

Supplementary Table Legends

Supplementary Table S1: Documentation of model components, interactions and regulatory rules.

Supplementary Table S2: Phenotype reached upon systematic in silico analysis of single and double mutants.

Supplementary References

1. Bottaro DP, Rubin JS, Faletto DL, Chan AM, Kmieciak TE, Vande Woude GF, et al. Identification of the hepatocyte growth factor receptor as the c-met proto-oncogene product. *Science*. American Association for the Advancement of Science; 1991;251:802–4.
2. Guo L, Kozlosky CJ, Ericsson LH, Daniel TO, Cerretti DP, Johnson RS. Studies of ligand-induced site-specific phosphorylation of epidermal growth factor receptor. *J. Am. Soc. Mass Spectrom*. Springer-Verlag; 2003. page 1022–31.
3. Sierke SL, Longo GM, Koland JG. Structural Basis of Interactions Between Epidermal Growth Factor Receptor and SH2 Domain Proteins. *Biochem Biophys Res Commun*. 1993;191:45–54.
4. Paszek MJ, Zahir N, Johnson KR, Lakins JN, Rozenberg GI, Gefen A, et al. Tensional homeostasis and the malignant phenotype. *Cancer Cell*. Cell Press; 2005;8:241–54.
5. Massagué J, Andres J, Attisano L, Cheifetz S, López-Casillas F, Ohtsuki M, et al. TGF- β receptors. *Mol Reprod Dev*. 1992;32:99–104.
6. Ebner R, Chen RH, Lawler S, Zioncheck T, Derynck R. Determination of type I receptor specificity by the type II receptors for TGF-beta or activin. *Science*. 1993;262:900–2.
7. Jung IH, Choi JH-K, Chung Y-Y, Lim G-L, Park Y-N, Park SW. Predominant Activation of JAK/STAT3 Pathway by Interleukin-6 Is Implicated in Hepatocarcinogenesis. *Neoplasia*. Neoplasia Press; 2015;17:586–97.
8. Heitzler P, Simpson P. The choice of cell fate in the epidermis of *Drosophila*. *Cell*. 1991;64:1083–92.
9. Shimizu K, Chiba S, Saito T, Kumano K, Hirai H. Physical Interaction of Delta1, Jagged1, and Jagged2 with Notch1 and Notch3 Receptors. *Biochem Biophys Res Commun*. 2000;276:385–9.
10. Sap J, Jiang YP, Friedlander D, Grumet M, Schlessinger J. Receptor tyrosine phosphatase R-PTP-kappa mediates homophilic binding. *Mol Cell Biol*. American Society for Microbiology; 1994;14:1–9.
11. Bennett FC, Harvey KF. Fat Cadherin Modulates Organ Size in *Drosophila* via the Salvador/Warts/Hippo Signaling Pathway. *Curr Biol*. Cell Press; 2006;16:2101–10.
12. Qi C, Zhu YT, Hu L, Zhu Y-J. Identification of Fat4 as a candidate tumor suppressor

- gene in breast cancers. *Int J cancer*. NIH Public Access; 2009;124:793–8.
13. Matsuzawa A, Ichijo H. Redox control of cell fate by MAP kinase: physiological roles of ASK1-MAP kinase pathway in stress signaling. *Biochim. Biophys. Acta - Gen. Subj.* Elsevier; 2008. page 1325–36.
 14. D'Ignazio L, Rocha S. Hypoxia Induced NF- κ B. *Cells*. Multidisciplinary Digital Publishing Institute (MDPI); 2016;5.
 15. Xu Y, Shao Y, Voorhees JJ, Fisher GJ. Oxidative Inhibition of Receptor-type Protein-tyrosine Phosphatase κ by Ultraviolet Irradiation Activates Epidermal Growth Factor Receptor in Human Keratinocytes. *J Biol Chem*. 2006;281:27389–97.
 16. Park J Il, Kim SW, Lyons JP, Ji H, Nguyen TT, Cho K, et al. Kaiso/p120-Catenin and TCF/ β -Catenin complexes coordinately regulate canonical Wnt gene targets. *Dev Cell*. Cell Press; 2005;8:843–54.
 17. Giannoni E, Buricchi F, Raugei G, Ramponi G, Chiarugi P. Intracellular Reactive Oxygen Species Activate Src Tyrosine Kinase during Cell Adhesion and Anchorage-Dependent Cell Growth. *Mol Cell Biol*. 2005;25:6391–403.
 18. del Valle-Perez B, Casagolda D, Lugilde E, Valls G, Codina M, Dave N, et al. Wnt controls the transcriptional activity of Kaiso through CK1 -dependent phosphorylation of p120-catenin. *J Cell Sci*. 2016;129:873–873.
 19. Casagolda D, del Valle-Perez B, Valls G, Lugilde E, Vinyoles M, Casado-Vela J, et al. A p120-catenin-CK1 complex regulates Wnt signaling. *J Cell Sci*. 2010;123:2621–31.
 20. Gardner AM, Vaillancourt RR, Lange-Carter CA, Johnson GL. MEK-1 phosphorylation by MEK kinase, Raf, and mitogen-activated protein kinase: analysis of phosphopeptides and regulation of activity. *Mol Biol Cell*. American Society for Cell Biology; 1994;5:193–201.
 21. Andl CD, Mizushima T, Oyama K, Bowser M, Nakagawa H, Rustgi AK. EGFR-induced cell migration is mediated predominantly by the JAK-STAT pathway in primary esophageal keratinocytes. *Am J Physiol Gastrointest Liver Physiol*. American Physiological Society; 2004;287:G1227-37.
 22. Eberwein P, Laird D, Schulz S, Reinhard T, Steinberg T, Tomakidi P. Modulation of focal adhesion constituents and their down-stream events by EGF: On the cross-talk of integrins and growth factor receptors. *Biochim Biophys Acta - Mol Cell Res*. 2015;1853:2183–98.
 23. Mitra AK, Sawada K, Tiwari P, Mui K, Gwin K, Lengyel E. Ligand-independent activation of c-Met by fibronectin and $\alpha 5\beta 1$ -integrin regulates ovarian cancer invasion

- and metastasis. *Oncogene*. Nature Publishing Group; 2011;30:1566–76.
24. Hecker TP, Ding Q, Rege TA, Hanks SK, Gladson CL. Overexpression of FAK promotes Ras activity through the formation of a FAK/p120RasGAP complex in malignant astrocytoma cells. *Oncogene*. Nature Publishing Group; 2004;23:3962–71.
 25. Schlaepfer DD, Hanks SK, Hunter T, van der Geer P. Integrin-mediated signal transduction linked to Ras pathway by GRB2 binding to focal adhesion kinase.. *Nature*. 1994. page 786–91.
 26. Hiscox S, Jiang WG. Association of the HGF/SF receptor, c-met, with the cell-surface adhesion molecule, E-cadherin, and catenins in human tumor cells. *Biochem Biophys Res Commun*. Academic Press; 1999;261:406–11.
 27. Xu G, Craig AWB, Greer P, Miller M, Anastasiadis PZ, Lilien J, et al. Continuous association of cadherin with beta-catenin requires the non-receptor tyrosine-kinase Fer. *J Cell Sci*. The Company of Biologists Ltd; 2004;117:3207–19.
 28. Moro L, Dolce L, Cabodi S, Bergatto E, Erba EB, Smeriglio M, et al. Integrin-induced Epidermal Growth Factor (EGF) Receptor Activation Requires c-Src and p130Cas and Leads to Phosphorylation of Specific EGF Receptor Tyrosines. *J Biol Chem*. 2002;277:9405–14.
 29. Cruet-Hennequart S, Maubant S, Luis J, Gauduchon P, Staedel C, Dedhar S. α v integrins regulate cell proliferation through integrin-linked kinase (ILK) in ovarian cancer cells. *Oncogene*. 2003;22:1688–702.
 30. Hannigan GE, Leung-Hagesteijn C, Fitz-Gibbon L, Coppolino MG, Radeva G, Filmus J, et al. Regulation of cell adhesion and anchorage-dependent growth by a new β 1-integrin-linked protein kinase. *Nature*. 1996;379:91–6.
 31. Schlaepfer DD, Broome MA, Hunter T. Fibronectin-stimulated signaling from a focal adhesion kinase-c-Src complex: involvement of the Grb2, p130cas, and Nck adaptor proteins. *Mol Cell Biol*. American Society for Microbiology; 1997;17:1702–13.
 32. Ruest PJ, Shin NY, Polte TR, Zhang X, Hanks SK. Mechanisms of CAS substrate domain tyrosine phosphorylation by FAK and Src. *Mol Cell Biol*. American Society for Microbiology; 2001;21:7641–52.
 33. Sakai R, Iwamatsu A, Hirano N, Ogawa S, Tanaka T, Mano H, et al. A novel signaling molecule, p130, forms stable complexes in vivo with v-Crk and v-Src in a tyrosine phosphorylation-dependent manner. *EMBO J*. European Molecular Biology Organization; 1994;13.
 34. Gotoh T, Hattori S, Nakamura S, Kitayama H, Noda M, Takai Y, et al. Identification

- of Rap1 as a target for the Crk SH3 domain-binding guanine nucleotide-releasing factor C3G. *Mol Cell Biol*. American Society for Microbiology; 1995;15:6746–53.
35. Ricono JM, Huang M, Barnes LA, Lau SK, Weis SM, Schlaepfer DD, et al. Specific Cross-talk between Epidermal Growth Factor Receptor and Integrin $\alpha 5$ Promotes Carcinoma Cell Invasion and Metastasis. *Cancer Res*. 2009;69:1383–91.
 36. Fujita Y, Krause G, Scheffner M, Zechner D, Leddy HEM, Behrens J, et al. Hakai, a c-Cbl-like protein, ubiquitinates and induces endocytosis of the E-cadherin complex. *Nat Cell Biol*. Nature Publishing Group; 2002;4:222–31.
 37. Koenig A, Mueller C, Hasel C, Adler G, Menke A. Collagen Type I Induces Disruption of E-Cadherin–Mediated Cell-Cell Contacts and Promotes Proliferation of Pancreatic Carcinoma Cells. *Cancer Res*. 2006;66:4662–71. A
 38. Roura S, Miravet S, Piedra J, García de Herreros A, Duñach M. Regulation of E-cadherin/Catenin association by tyrosine phosphorylation. *J Biol Chem*. American Society for Biochemistry and Molecular Biology; 1999;274:36734–40.
 39. Xia H, Nho RS, Kahm J, Kleidon J, Henke CA. Focal Adhesion Kinase Is Upstream of Phosphatidylinositol 3-Kinase/Akt in Regulating Fibroblast Survival in Response to Contraction of Type I Collagen Matrices via a $\beta 1$ Integrin Viability Signaling Pathway. *J Biol Chem*. 2004;279:33024–34.
 40. Turkson J, Bowman T, Garcia R, Caldenhoven E, De Groot RP, Jove R. Stat3 activation by Src induces specific gene regulation and is required for cell transformation. *Mol Cell Biol*. 1998;18:2545–52.
 41. Kiyokawa E, Hashimoto Y, Kobayashi S, Sugimura H, Kurata T, Matsuda M. Activation of Rac1 by a Crk SH3-binding protein, DOCK180. *Genes Dev*. Cold Spring Harbor Laboratory Press; 1998;12:3331–6.
 42. Manser E, Leung T, Salihuddin H, Zhao Z, Lim L. A brain serine/threonine protein kinase activated by Cdc42 and Rac1. *Nature*. 1994;367:40–6.
 43. Yoshizumi M, Abe J, Haendeler J, Huang Q, Berk BC. Src and Cas mediate JNK activation but not ERK1/2 and p38 kinases by reactive oxygen species. *J Biol Chem*. American Society for Biochemistry and Molecular Biology; 2000;275:11706–12.
 44. Avruch J, Khokhlatchev A, Kyriakis JM, Luo Z, Tzivion G, Vavvas D, et al. Ras activation of the Raf kinase: tyrosine kinase recruitment of the MAP kinase cascade. *Recent Prog Horm Res*. 2001;56:127–55.
 45. Rodriguez-Viciana P, Warne PH, Khwaja A, Marte BM, Pappin D, Das P, et al. Role of phosphoinositide 3-OH kinase in cell transformation and control of the actin

- cytoskeleton by Ras. *Cell. Elsevier*; 1997;89:457–67.
46. Shin I, Kim S, Song H, Kim H-RC, Moon A. H-Ras-specific activation of Rac-MKK3/6-p38 pathway: its critical role in invasion and migration of breast epithelial cells. *J Biol Chem. American Society for Biochemistry and Molecular Biology*; 2005;280:14675–83.
 47. Seger R, Ahn NG, Posada J, Munar ES, Jensen AM, Cooper JA, et al. Purification and characterization of mitogen-activated protein kinase activator(s) from epidermal growth factor-stimulated A431 cells. *J Biol Chem.* 1992;267:14373–81.
 48. Ding Q, Xia W, Liu J-C, Yang J-Y, Lee D-F, Xia J, et al. Erk Associates with and Primes GSK-3 β for Its Inactivation Resulting in Upregulation of β -Catenin. *Mol Cell.* 2005;19:159–70.
 49. Lemieux É, Bergeron S, Durand V, Asselin C, Saucier C, Rivard N. Constitutively active MEK1 is sufficient to induce epithelial-to-mesenchymal transition in intestinal epithelial cells and to promote tumor invasion and metastasis. *Int J Cancer.* 2009;125:1575–86.
 50. Ito T, Taniguchi H, Fukagai K, Okamuro S, Kobayashi A. Inhibitory Mechanism of FAT4 Gene Expression in Response to Actin Dynamics during Src-Induced Carcinogenesis. Rishi A, editor. *PLoS One.* 2015;10:e0118336.
 51. Franke TF, Kaplan DR, Cantley LC, Toker A. Direct regulation of the Akt proto-oncogene product by phosphatidylinositol-3,4-bisphosphate. *Science.* 1997;275:665–8.
 52. Alessi DR, James SR, Downes CP, Holmes AB, Gaffney PRJ, Reese CB, et al. Characterization of a 3-phosphoinositide-dependent protein kinase which phosphorylates and activates protein kinase B α . *Curr Biol.* 1997;7:261–9.
 53. Delcommenne M, Tan C, Gray V, Rue L, Woodgett J, Dedhar S. Phosphoinositide-3-OH kinase-dependent regulation of glycogen synthase kinase 3 and protein kinase B/AKT by the integrin-linked kinase. *Proc Natl Acad Sci U S A.* 1998;95:11211–6.
 54. Fan R, Kim N-G, Gumbiner BM. Regulation of Hippo pathway by mitogenic growth factors via phosphoinositide 3-kinase and phosphoinositide-dependent kinase-1. *Proc Natl Acad Sci.* 2013;110:2569–74.
 55. King CC, Gardiner EM, Zenke FT, Bohl BP, Newton AC, Hemmings BA, et al. p21-activated kinase (PAK1) is phosphorylated and activated by 3-phosphoinositide-dependent kinase-1 (PDK1). *J Biol Chem. American Society for Biochemistry and Molecular Biology*; 2000;275:41201–9.
 56. Serrano I, McDonald PC, Lock FE, Dedhar S. Role of the integrin-linked kinase (ILK)/

- Rictor complex in TGF β -1-induced epithelial-mesenchymal transition (EMT). *Oncogene*. 2013;32:50–60.
57. Zhou BP, Deng J, Xia W, Xu J, Li YM, Gunduz M, et al. Dual regulation of Snail by GSK-3 β -mediated phosphorylation in control of epithelial–mesenchymal transition. *Nat Cell Biol*. 2004;6:931–40.
 58. Bai D, Ueno L, Vogt PK. Akt-mediated regulation of NFkappaB and the essentialness of NFkappaB for the oncogenicity of PI3K and Akt. *Int J cancer*. NIH Public Access; 2009;125:2863–70.
 59. Stamos JL, Weis WI. The β -Catenin Destruction Complex. *Cold Spring Harb Perspect Biol*. 2013;5:a007898–a007898.
 60. Kao S-H, Wang W-L, Chen C-Y, Chang Y-L, Wu Y-Y, Wang Y-T, et al. GSK3 β controls epithelial–mesenchymal transition and tumor metastasis by CHIP-mediated degradation of Slug. *Oncogene*. 2014;33:3172–82.
 61. Ding VW, Chen RH, McCormick F. Differential regulation of glycogen synthase kinase 3beta by insulin and Wnt signaling. *J Biol Chem*. American Society for Biochemistry and Molecular Biology; 2000;275:32475–81.
 62. Collu GM, Hidalgo-Sastre A, Acar A, Bayston L, Gildea C, Leverentz MK, et al. Dishevelled limits Notch signalling through inhibition of CSL. *Development*. 2012;139:4405–15.
 63. del Valle-Perez B, Arques O, Vinyoles M, de Herreros AG, Dunach M. Coordinated Action of CK1 Isoforms in Canonical Wnt Signaling. *Mol Cell Biol*. 2011;31:2877–88.
 64. Hao Y, Chun A, Cheung K, Rashidi B, Yang X. Tumor suppressor LATS1 is a negative regulator of oncogene YAP. *J Biol Chem*. American Society for Biochemistry and Molecular Biology; 2008;283:5496–509.
 65. Kopan R, Ilagan MXG. The Canonical Notch Signaling Pathway: Unfolding the Activation Mechanism. *Cell*. Cell Press; 2009. page 216–33.
 66. Grannas K, Arngården L, Lönn P, Mazurkiewicz M, Blokzijl A, Zieba A, et al. Crosstalk between Hippo and TGF β : Subcellular Localization of YAP/TAZ/Smad Complexes. *J Mol Biol*. 2015;427:3407–15.
 67. Varelas X, Sakuma R, Samavarchi-Tehrani P, Peerani R, Rao BM, Dembowy J, et al. TAZ controls Smad nucleocytoplasmic shuttling and regulates human embryonic stem-cell self-renewal. *Nat Cell Biol*. Nature Publishing Group; 2008;10:837–48.
 68. Varelas X, Miller BW, Sopko R, Song S, Gregorieff A, Fellouse FA, et al. The Hippo

- Pathway Regulates Wnt/ β -Catenin Signaling. *Dev Cell*. 2010;18:579–91.
69. Fuchs M, Müller T, Lerch MM, Ullrich A. Association of human protein-tyrosine phosphatase kappa with members of the armadillo family. *J Biol Chem*. 1996;271:16712–9.
 70. Novellino L, De Filippo A, Deho P, Perrone F, Pilotti S, Parmiani G, et al. PTPRK negatively regulates transcriptional activity of wild type and mutated oncogenic β -catenin and affects membrane distribution of β -catenin/E-cadherin complexes in cancer cells. *Cell Signal*. 2008;20:872–83.
 71. Brady-Kalnay SM, Mourton T, Nixon JP, Pietz GE, Kinch M, Chen H, et al. Dynamic interaction of PTPmu with multiple cadherins in vivo. *J Cell Biol*. Rockefeller University Press; 1998;141:287–96.
 72. Brady-Kalnay SM, Rimm DL, Tonks NK. Receptor protein tyrosine phosphatase PTPmu associates with cadherins and catenins in vivo. *J Cell Biol*. The Rockefeller University Press; 1995;130:977–86.
 73. Xu Y, Tan L-J, Grachtchouk V, Voorhees JJ, Fisher GJ. Receptor-type Protein-tyrosine Phosphatase- κ Regulates Epidermal Growth Factor Receptor Function. *J Biol Chem*. 2005;280:42694–700.
 74. Sun PH, Ye L, Mason MD, Jiang WG. Receptor-like protein tyrosine phosphatase κ negatively regulates the apoptosis of prostate cancer cells via the JNK pathway. *Int J Oncol*. Spandidos Publications; 2013;43:1560–8.
 75. Bos JL, de Bruyn K, Enserink J, Kuiperij B, Rangarajan S, Rehmann H, et al. The role of Rap1 in integrin-mediated cell adhesion. *Biochem Soc Trans*. 2003;31:83–6.
 76. Katagiri K, Hattori M, Minato N, Irie S k, Takatsu K, Kinashi T. Rap1 is a potent activation signal for leukocyte function-associated antigen 1 distinct from protein kinase C and phosphatidylinositol-3-OH kinase. *Mol Cell Biol*. American Society for Microbiology; 2000;20:1956–69.
 77. Hoshino T, Sakisaka T, Baba T, Yamada T, Kimura T, Takai Y. Regulation of E-cadherin endocytosis by nectin through afadin, Rap1, and p120ctn. *J Biol Chem*. American Society for Biochemistry and Molecular Biology; 2005;280:24095–103.
 78. Massagué J. TGF- β signal transduction. *Annu Rev Biochem*. 1998;67:753–91.
 79. Lee MK, Pardoux C, Hall MC, Lee PS, Warburton D, Qing J, et al. TGF- β activates Erk MAP kinase signalling through direct phosphorylation of ShcA. *EMBO J*. 2007;26:3957–67.
 80. Zhang YE. Non-Smad pathways in TGF-beta signaling. *Cell Res*. NIH Public Access;

- 2009;19:128–39.
81. Ataie-Kachoe P, Badar S, Morris DL, Pourgholami MH. Minocycline targets the NF- κ B Nexus through suppression of TGF- β 1-TAK1-I κ B signaling in ovarian cancer. *Mol Cancer Res*. American Association for Cancer Research; 2013;11:1279–91.
 82. Ear T, Fortin CF, Simard FA, McDonald PP. Constitutive association of TGF-beta-activated kinase 1 with the IkappaB kinase complex in the nucleus and cytoplasm of human neutrophils and its impact on downstream processes. *J Immunol*. American Association of Immunologists; 2010;184:3897–906.
 83. Wang SE, Xiang B, Zent R, Quaranta V, Pozzi A, Arteaga CL. Transforming Growth Factor Induces Clustering of HER2 and Integrins by Activating Src-Focal Adhesion Kinase and Receptor Association to the Cytoskeleton. *Cancer Res*. 2009;69:475–82.
 84. Ihle JN, Witthuhn BA, Quelle FW, Yamamoto K, Silvennoinen O. Signaling through the hematopoietic cytokine receptors. *Annu Rev Immunol*. Annual Reviews 4139 El Camino Way, P.O. Box 10139, Palo Alto, CA 94303-0139, USA; 1995;13:369–98.
 85. Giordano V, De Falco G, Chiari R, Quinto I, Pelicci PG, Bartholomew L, et al. Shc mediates IL-6 signaling by interacting with gp130 and Jak2 kinase. *J Immunol*. 1997;158:4097–103.
 86. Yin T, Shen R, Feng GS, Yang YC. Molecular characterization of specific interactions between SHP-2 phosphatase and JAK tyrosine kinases. *J Biol Chem*. American Society for Biochemistry and Molecular Biology; 1997;272:1032–7.
 87. Cadigan KM, Waterman ML. TCF/LEFs and Wnt signaling in the nucleus. *Cold Spring Harb Perspect Biol*. Cold Spring Harbor Laboratory Press; 2012;4.
 88. Barberà MJ, Puig I, Domínguez D, Julien-Grille S, Guaita-Esteruelas S, Peiró S, et al. Regulation of Snail transcription during epithelial to mesenchymal transition of tumor cells. *Oncogene*. Nature Publishing Group; 2004;23:7345–54.
 89. van Uden P, Kenneth NS, Rocha S. Regulation of hypoxia-inducible factor-1 α by NF- κ B. *Biochem J*. 2008;412:477–84.
 90. Thuault S, Tan E-J, Peinado H, Cano A, Heldin C-H, Moustakas A. HMGA2 and Smads Co-regulate SNAIL1 Expression during Induction of Epithelial-to-Mesenchymal Transition. *J Biol Chem*. 2008;283:33437–46.
 91. Yamashita S, Miyagi C, Fukada T, Kagara H, Che YS, Hirano T. Zinc transporter LIV1 controls epithelial-mesenchymal transition in zebrafish gastrula organizer. *Nature*. Nature Publishing Group; 2004;429:298–302.
 92. Unno J, Satoh K, Hirota M, Kanno A, Hamada S, Ito H, et al. LIV-1 enhances the

- aggressive phenotype through the induction of epithelial to mesenchymal transition in human pancreatic carcinoma cells. *Int J Oncol.* 2009;35:813–21.
93. Xu Q, Briggs J, Park S, Niu G, Kortylewski M, Zhang S, et al. Targeting Stat3 blocks both HIF-1 and VEGF expression induced by multiple oncogenic growth signaling pathways. *Oncogene.* 2005;24:5552–60.
 94. Zhan X, Feng X, Kong Y, Chen Y, Tan W. JNK signaling maintains the mesenchymal properties of multi-drug resistant human epidermoid carcinoma KB cells through snail and twist1. *BioMed Central;* 2013;13:180.
 95. Lee M-H, Koria P, Qu J, Andreadis ST. JNK phosphorylates -catenin and regulates adherens junctions. *FASEB J.* 2009;23:3874–83.
 96. Sahlgren C, Gustafsson M V, Jin S, Poellinger L, Lendahl U. Notch signaling mediates hypoxia-induced tumor cell migration and invasion. *Proc Natl Acad Sci U S A. National Academy of Sciences;* 2008;105:6392–7.
 97. Storci G, Sansone P, Mari S, D’Uva G, Tavolari S, Guarnieri T, et al. TNFalpha up-regulates SLUG via the NF-kappaB/HIF1alpha axis, which imparts breast cancer cells with a stem cell-like phenotype. *J Cell Physiol. NIH Public Access;* 2010 [;225:682–91.
 98. Yang Z, Rayala S, Nguyen D, Vadlamudi RK, Chen S, Kumar R. Pak1 phosphorylation of snail, a master regulator of epithelial-to-mesenchyme transition, modulates snail’s subcellular localization and functions. *Cancer Res.* 2005;65:3179–84.
 99. Niessen K, Fu Y, Chang L, Hoodless PA, McFadden D, Karsan A. Slug is a direct Notch target required for initiation of cardiac cushion cellularization. *J Cell Biol.* 2008;182:315–25.
 100. Leong KG, Niessen K, Kulic I, Raouf A, Eaves C, Pollet I, et al. Jagged1-mediated Notch activation induces epithelial-to-mesenchymal transition through Slug-induced repression of E-cadherin. *J Exp Med.* 2007;204:2935–48.
 101. Kwon O-J, Valdez JM, Zhang L, Zhang B, Wei X, Su Q, et al. Increased Notch signalling inhibits anoikis and stimulates proliferation of prostate luminal epithelial cells. *Nat Commun.* 2014;5:4416.
 102. Nickoloff BJ, Qin J-Z, Chaturvedi V, Denning MF, Bonish B, Miele L. Jagged-1 mediated activation of notch signaling induces complete maturation of human keratinocytes through NF-κB and PPARγ. *Cell Death Differ.* 2002;9:842–55.
 103. Osipo C, Golde TE, Osborne BA, Miele LA. Off the beaten pathway: The complex

- cross talk between Notch and NF- κ B. *Lab. Investig.* Nature Publishing Group; 2008. page 11–7.
104. Conacci-Sorrell M, Simcha I, Ben-Yedidia T, Blechman J, Savagner P, Ben-Ze'ev A. Autoregulation of E-cadherin expression by cadherin–cadherin interactions. *J Cell Biol.* 2003;163:847–57.
 105. Liao Y, Lönnnerdal B. Beta-catenin/TCF4 transactivates miR-30e during intestinal cell differentiation. *Cell Mol Life Sci.* 2010;67:2969–78.
 106. Kumarswamy R, Mudduluru G, Ceppi P, Muppala S, Kozlowski M, Niklinski J, et al. MicroRNA-30a inhibits epithelial-to-mesenchymal transition by targeting Snai1 and is downregulated in non-small cell lung cancer. *Int J Cancer.* 2012;130:2044–53.
 107. Peinado H, Ballestar E, Esteller M, Cano A. Snail mediates E-cadherin repression by the recruitment of the Sin3A/histone deacetylase 1 (HDAC1)/HDAC2 complex. *Mol Cell Biol.* American Society for Microbiology; 2004;24:306–19.
 108. Dave N, Guaita-Esteruelas S, Gutarra S, Frias A, Beltran M, Peiro S, et al. Functional cooperation between Snail1 and twist in the regulation of ZEB1 expression during epithelial to mesenchymal transition. *J Biol Chem.* American Society for Biochemistry and Molecular Biology; 2011;286:12024–32.
 109. Beltran M, Puig I, Pena C, Garcia JM, Alvarez AB, Pena R, et al. A natural antisense transcript regulates Zeb2/Sip1 gene expression during Snail1-induced epithelial-mesenchymal transition. *Genes Dev.* 2008;22:756–69.
 110. Moes M, Le Béhec A, Crespo I, Laurini C, Halavatyi A, Vetter G, et al. A novel network integrating a mirna-203/snai1 feedback loop which regulates epithelial to mesenchymal transition. Klymkowsky M, editor. *PLoS One.* Public Library of Science; 2012;7:e35440.
 111. Gill JG, Langer EM, Lindsley RC, Cai M, Murphy TL, Kyba M, et al. Snail and the microRNA-200 Family Act in Opposition to Regulate Epithelial-to-Mesenchymal Transition and Germ Layer Fate Restriction in Differentiating ESCs. *Stem Cells.* 2011;29:764–76.
 112. Bolós V, Peinado H, Pérez-Moreno MA, Fraga MF, Esteller M, Cano A. The transcription factor Slug represses E-cadherin expression and induces epithelial to mesenchymal transitions: a comparison with Snail and E47 repressors. *J Cell Sci.* The Company of Biologists Ltd; 2003;116:499–511.
 113. Wels C, Joshi S, Koefinger P, Bergler H, Schaidler H. Transcriptional Activation of ZEB1 by Slug Leads to Cooperative Regulation of the Epithelial–Mesenchymal

- Transition-Like Phenotype in Melanoma. *J Invest Dermatol.* 2011;131:1877–85.
114. Bracken CP, Gregory PA, Kolesnikoff N, Bert AG, Wang J, Shannon MF, et al. A Double-Negative Feedback Loop between ZEB1-SIP1 and the microRNA-200 Family Regulates Epithelial-Mesenchymal Transition. *Cancer Res.* 2008;68:7846–54.
 115. Eger A, Aigner K, Sonderegger S, Dampier B, Oehler S, Schreiber M, et al. DeltaEF1 is a transcriptional repressor of E-cadherin and regulates epithelial plasticity in breast cancer cells. *Oncogene.* 2005;24:2375–85.
 116. Liu YN, Yin JJ, Abou-Kheir W, Hynes PG, Casey OM, Fang L, et al. MiR-1 and miR-200 inhibit EMT via Slug-dependent and tumorigenesis via Slug-independent mechanisms. *Oncogene.* Nature Publishing Group; 2013;32:296–306.
 117. Perdigão-Henriques R, Petrocca F, Altschuler G, Thomas MP, Le MTN, Tan SM, et al. miR-200 promotes the mesenchymal to epithelial transition by suppressing multiple members of the Zeb2 and Snail1 transcriptional repressor complexes. *Oncogene.* 2016;35:158–72.
 118. Park S-M, Gaur AB, Lengyel E, Peter ME. The miR-200 family determines the epithelial phenotype of cancer cells by targeting the E-cadherin repressors ZEB1 and ZEB2. *Genes Dev.* Cold Spring Harbor Laboratory Press; 2008;22:894–907.
 119. Kim N-G, Koh E, Chen X, Gumbiner BM. E-cadherin mediates contact inhibition of proliferation through Hippo signaling-pathway components. *Proc Natl Acad Sci.* 2011;108:11930–5.
 120. Balzac F, Avolio M, Degani S, Kaverina I, Torti M, Silengo L, et al. E-cadherin endocytosis regulates the activity of Rap1: a traffic light GTPase at the crossroads between cadherin and integrin function. *J Cell Sci.* 2005;118:4765–83.
 121. Hogan C, Serpente N, Cogram P, Hosking CR, Bialucha CU, Feller SM, et al. Rap1 regulates the formation of E-cadherin-based cell-cell contacts. *Mol Cell Biol.* American Society for Microbiology; 2004;24:6690–700.
 122. Shibamoto S, Hayakawa M, Takeuchi K, Hori T, Miyazawa K, Kitamura N, et al. Association of p120, a tyrosine kinase substrate, with E-cadherin/catenin complexes. *J Cell Biol.* 1995;128:949–57.
 123. Chen YT, Stewart DB, Nelson WJ. Coupling assembly of the E-cadherin/beta-catenin complex to efficient endoplasmic reticulum exit and basal-lateral membrane targeting of E-cadherin in polarized MDCK cells. *J Cell Biol.* 1999;144:687–99.

124. Javaid S, Zhang J, Anderssen E, Black JC, Wittner BS, Tajima K, et al. Dynamic Chromatin Modification Sustains Epithelial-Mesenchymal Transition following Inducible Expression of Snail-1. *Cell Rep.* 2013;5:1679–89.
125. Miettinen PJ, Ebner R, Lopez AR, Derynck R. TGF-beta induced transdifferentiation of mammary epithelial cells to mesenchymal cells: involvement of type I receptors. *J Cell Biol.* Rockefeller University Press; 1994;127:2021–36.
126. Vuoriluoto K, Haugen H, Kiviluoto S, Mpindi J-P, Nevo J, Gjerdrum C, et al. Vimentin regulates EMT induction by Slug and oncogenic H-Ras and migration by governing Axl expression in breast cancer. *Oncogene.* 2011;30:1436–48.
127. Zhang J, Lei Y, Gao X, Liang Q, Li L, Feng J, et al. p53 Attenuates the oncogenic Ras-induced epithelial–mesenchymal transition in human mammary epithelial cells. *Biochem Biophys Res Commun.* Academic Press; 2013;434:606–13.
128. Franco DL, Mainez J, Vega S, Sancho P, Murillo MM, de Frutos CA, et al. Snail1 suppresses TGF- β -induced apoptosis and is sufficient to trigger EMT in hepatocytes. *J Cell Sci.* 2010;123:3467–77.
129. Gregory PA, Bert AG, Paterson EL, Barry SC, Tsykin A, Farshid G, et al. The miR-200 family and miR-205 regulate epithelial to mesenchymal transition by targeting ZEB1 and SIP1. *Nat Cell Biol.* 2008;10:593–601.
130. Behrens J, Vakaet L, Friis R, Winterhager E, Van Roy F, Mareel MM, et al. Loss of epithelial differentiation and gain of invasiveness correlates with tyrosine phosphorylation of the E-cadherin/beta-catenin complex in cells transformed with a temperature-sensitive v-SRC gene. *J Cell Biol.* 1993;120:757–66.
131. Lu Z, Jiang G, Blume-Jensen P, Hunter T. Epidermal Growth Factor-Induced Tumor Cell Invasion and Metastasis Initiated by Dephosphorylation and Downregulation of Focal Adhesion Kinase. *Mol Cell Biol.* 2001;21:4016–31.
132. Abou-Jaoudé W, Traynard P, Monteiro PT, Saez-Rodriguez J, Helikar T, Thieffry D, et al. Logical Modeling and Dynamical Analysis of Cellular Networks. *Front Genet.* 2016;7:94.
133. Monteiro PT, Abou-Jaoudé W, Thieffry D, Chaouiya C. Model Checking Logical Regulatory Networks. *IFAC Proc Vol.* 2014;47:170–5.
134. Abou-Jaoudé W, Monteiro PT, Naldi A, Grandclaudon M, Soumelis V, Chaouiya C, et al. Model Checking to Assess T-Helper Cell Plasticity. *Front Bioeng Biotechnol.* 2015;2:86.

135. Lomuscio A, Pecheur C, Raimondi F. Automatic Verification of Knowledge and Time with NuSMV. IJCAI/ AAAI Press. 2007. page 1384–9.