

1

Supplementary Table 3. The sequences of primers used for qRT-PCR

Gene name	Forward (5'-3')	Reverse (5'-3')
ALDH1A1	TGTTAGCTGATGCCGACTTG	TTCTTAGCCCGCTCAACACT
Aldh1a1	CCCGGATTTTTGTTGAGGAG	GAGAACACTGTGGGCTGCAC
TAK1	TGCCCAAACCTCCAAAGAATC	TGGTCCTTTTCATCCTGGTC
p65	GTGGGGACTACGACCTGAATG	GGGGCACGATTGTCAAAGATG
GM-CSF	CCTGAACCTGAGTAGAGACAC	TGCTGCTTGTAGTGGCTGG
GM-CSF (Mouse)	GGCCTTGGAAGCATGTAGAGG	GAGAACTCGTTAGAGACGACT
G-CSF	GCTGCTTGAGCCAACTCCATA	GAACGCGGTACGACACCTC
Tbp (Mouse)	CCCCACAACCTCTTCCATTCT	GCAGGAGTGATAGGGGTCAT
TBP (Human)	TGCACAGGAGCCAAGAGTGAA	CACATCACAGCTCCCCACCA
mS100A8	AAATCACCATGCCCTCTACAAG	CCCACCTTTATCACCATCGCAA
mS100A9	ATACTCTAGGAAGGAAGGACA CC	TCCATGATGTCATTTATGAGGGC
mPD-L1	GCTCCAAAGGACTTGTACGTG	TGATCTGAAGGGCAGCATTTC
mNCF1	ACACCTTCATTGCCATATTGC	TCGGTGAATTTTCTGTAGACCAC
mCYBB1	TGTGGTTGGGGCTGAATGTC	CTGAGAAAGGAGAGCAGATTTCG

2